

Zade Cottier-Wood [REDACTED] Date: 11 January 2018	C/O Louise St John Howe (Programme Officer) Simon Berkeley BA MA MRTPI (Inspector) PO Services, PO Box 10965, Sudbury, Suffolk, CO10 3BF Tel: 07789-486419 E: louise@poservices.co.uk
---	--

Hearing Matter Statement: Matter 10 - Luton & Cockernhoe - North Hertfordshire Local Plan 2011-2031

TRAFFIC POLLUTION AND ROAD ACCESS PROBLEMS FOR EAST OF LUTON

It is the Law that Councils Monitor Air Quality according to Regulations in the Air Quality Act. The maximum limit for Particulate Matter 10 is 40 p ugm. It must not go above this limit more than 35 times annually.

The Air Quality Monitoring station is the nearest one to the East Luton site. Here its raw data that they don't publish shows the SHOCKING TRUTH. It hits 220.8 p ugm (40 p ugm is the limit) and it breached limits here 364 times in one year (the limit is 35 times in one year).

To allow this is breaking the Law and is an infringements upon our Human Rights. The air is putrid and dangerous already. The Plan is not sound to have ignored this.

	End Date	End Time	PM10	Status/units
	Data		London Luton Airport	
	Status: P - Provisional data	P* - Ratified by Data Provider	R - Ratified Data	V - Validated
1	02/08/2017	09:00:00	220.8	P ugm-3 (Ref.eq)
2	30/03/2017	15:00:00	202.5	P ugm-3 (Ref.eq)
3	27/03/2017	05:00:00	163.3	P ugm-3 (Ref.eq)
4	22/04/2017	01:00:00	163.3	P ugm-3 (Ref.eq)
5	02/08/2017	03:00:00	150	P ugm-3 (Ref.eq)
6	10/05/2017	19:00:00	148.3	P ugm-3 (Ref.eq)
7	01/08/2017	06:00:00	141.7	P ugm-3 (Ref.eq)
8	01/08/2017	13:00:00	135.8	P ugm-3 (Ref.eq)
9	03/04/2017	02:00:00	134.2	P ugm-3 (Ref.eq)
10	22/04/2017	07:00:00	134.2	P ugm-3 (Ref.eq)
11	11/05/2017	17:00:00	132.5	P ugm-3 (Ref.eq)
12	23/04/2017	13:00:00	125.8	P ugm-3 (Ref.eq)
13	23/04/2017	12:00:00	121.7	P ugm-3 (Ref.eq)
14	08/04/2017	05:00:00	116.7	P ugm-3 (Ref.eq)
15	20/05/2017	24:00:00	111.7	P ugm-3 (Ref.eq)
16	24/03/2017	23:00:00	110	P ugm-3 (Ref.eq)
17	23/03/2017	17:00:00	109.2	P ugm-3 (Ref.eq)
18	24/04/2017	16:00:00	108.3	P ugm-3 (Ref.eq)
19	03/04/2017	11:00:00	107.5	P ugm-3 (Ref.eq)
20	26/05/2017	17:00:00	107.5	P ugm-3 (Ref.eq)
21	10/08/2017	16:00:00	103.3	P ugm-3 (Ref.eq)
22	28/05/2017	19:00:00	101.7	P ugm-3 (Ref.eq)
23	21/07/2017	09:00:00	101.7	P ugm-3 (Ref.eq)
24	10/05/2017	16:00:00	100.8	P ugm-3 (Ref.eq)
25	19/07/2017	08:00:00	100.8	P ugm-3 (Ref.eq)

26	13/08/2017	21:00:00	100.8	P ugm-3 (Ref.eq)
27	22/04/2017	23:00:00	100	P ugm-3 (Ref.eq)
28	30/05/2017	15:00:00	96.7	P ugm-3 (Ref.eq)
29	13/08/2017	22:00:00	96.7	P ugm-3 (Ref.eq)
30	23/03/2017	19:00:00	95.8	P ugm-3 (Ref.eq)
31	13/07/2017	20:00:00	95.8	P ugm-3 (Ref.eq)
32	17/05/2017	14:00:00	93.3	P ugm-3 (Ref.eq)
33	18/07/2017	17:00:00	93.3	P ugm-3 (Ref.eq)
34	15/04/2017	21:00:00	90.8	P ugm-3 (Ref.eq)
35	19/07/2017	02:00:00	90	P ugm-3 (Ref.eq)
36	02/04/2017	20:00:00	86.7	P ugm-3 (Ref.eq)
37	02/08/2017	02:00:00	85.8	P ugm-3 (Ref.eq)
38	01/04/2017	02:00:00	84.2	P ugm-3 (Ref.eq)
39	03/08/2017	20:00:00	84.2	P ugm-3 (Ref.eq)
40	11/05/2017	10:00:00	83.3	P ugm-3 (Ref.eq)
41	03/07/2017	17:00:00	81.7	P ugm-3 (Ref.eq)
42	02/08/2017	10:00:00	80	P ugm-3 (Ref.eq)
43	04/11/2017	05:00:00	80	P ugm-3 (Ref.eq)
44	23/03/2017	16:00:00	79.2	P ugm-3 (Ref.eq)
45	03/08/2017	16:00:00	79.2	P ugm-3 (Ref.eq)
46	03/04/2017	03:00:00	76.7	P ugm-3 (Ref.eq)
47	25/04/2017	03:00:00	76.7	P ugm-3 (Ref.eq)
48	08/03/2017	16:00:00	75.8	P ugm-3 (Ref.eq)
49	16/07/2017	17:00:00	74.2	P ugm-3 (Ref.eq)
50	11/05/2017	04:00:00	73.3	P ugm-3 (Ref.eq)
51	26/03/2017	22:00:00	71.7	P ugm-3 (Ref.eq)
52	22/04/2017	19:00:00	70.8	P ugm-3 (Ref.eq)
53	11/05/2017	16:00:00	70	P ugm-3 (Ref.eq)
54	26/05/2017	16:00:00	70	P ugm-3 (Ref.eq)
55	02/04/2017	21:00:00	68.3	P ugm-3 (Ref.eq)
56	12/02/2017	23:00:00	67.5	P ugm-3 (Ref.eq)
57	13/02/2017	05:00:00	67.5	P ugm-3 (Ref.eq)
58	12/02/2017	20:00:00	66.7	P ugm-3 (Ref.eq)
59	12/02/2017	22:00:00	66.7	P ugm-3 (Ref.eq)
60	10/09/2017	13:00:00	66.7	P ugm-3 (Ref.eq)
61	13/02/2017	04:00:00	65	P ugm-3 (Ref.eq)
62	27/09/2017	09:00:00	64.2	P ugm-3 (Ref.eq)
63	26/01/2017	22:00:00	63.3	P ugm-3 (Ref.eq)
64	26/01/2017	24:00:00	63.3	P ugm-3 (Ref.eq)
65	13/02/2017	02:00:00	63.3	P ugm-3 (Ref.eq)
66	26/08/2017	11:00:00	63.3	P ugm-3 (Ref.eq)
67	26/01/2017	23:00:00	62.5	P ugm-3 (Ref.eq)
68	13/02/2017	03:00:00	62.5	P ugm-3 (Ref.eq)
69	13/02/2017	06:00:00	62.5	P ugm-3 (Ref.eq)
70	27/09/2017	12:00:00	62.5	P ugm-3 (Ref.eq)
71	16/12/2016	09:00:00	61.7	R ugm-3 (Ref.eq)
72	26/01/2017	20:00:00	61.7	P ugm-3 (Ref.eq)
73	26/01/2017	21:00:00	61.7	P ugm-3 (Ref.eq)
74	10/02/2017	11:00:00	61.7	P ugm-3 (Ref.eq)

75	13/02/2017	07:00:00	61.7	P ugm-3 (Ref.eq)
76	16/12/2016	08:00:00	60.8	R ugm-3 (Ref.eq)
77	12/02/2017	24:00:00	60.8	P ugm-3 (Ref.eq)
78	09/04/2017	06:00:00	60.8	P ugm-3 (Ref.eq)
79	12/02/2017	21:00:00	60	P ugm-3 (Ref.eq)
80	13/02/2017	01:00:00	60	P ugm-3 (Ref.eq)
81	13/02/2017	08:00:00	60	P ugm-3 (Ref.eq)
82	28/03/2017	12:00:00	60	P ugm-3 (Ref.eq)
83	03/11/2017	22:00:00	60	P ugm-3 (Ref.eq)
84	27/01/2017	03:00:00	59.2	P ugm-3 (Ref.eq)
85	13/02/2017	20:00:00	59.2	P ugm-3 (Ref.eq)
86	19/04/2017	15:00:00	59.2	P ugm-3 (Ref.eq)
87	12/02/2017	03:00:00	58.3	P ugm-3 (Ref.eq)
88	08/04/2017	08:00:00	58.3	P ugm-3 (Ref.eq)
89	25/09/2017	02:00:00	58.3	P ugm-3 (Ref.eq)
90	27/01/2017	01:00:00	57.5	P ugm-3 (Ref.eq)
91	13/02/2017	09:00:00	57.5	P ugm-3 (Ref.eq)
92	13/02/2017	19:00:00	57.5	P ugm-3 (Ref.eq)
93	09/04/2017	05:00:00	57.5	P ugm-3 (Ref.eq)
94	09/04/2017	07:00:00	57.5	P ugm-3 (Ref.eq)
95	12/05/2017	06:00:00	57.5	P ugm-3 (Ref.eq)
96	27/09/2017	08:00:00	57.5	P ugm-3 (Ref.eq)
97	27/01/2017	02:00:00	56.7	P ugm-3 (Ref.eq)
98	10/02/2017	10:00:00	56.7	P ugm-3 (Ref.eq)
99	14/05/2017	06:00:00	56.7	P ugm-3 (Ref.eq)
100	02/08/2017	07:00:00	56.7	P ugm-3 (Ref.eq)
101	25/09/2017	03:00:00	56.7	P ugm-3 (Ref.eq)
102	26/01/2017	19:00:00	55.8	P ugm-3 (Ref.eq)
103	27/01/2017	08:00:00	55.8	P ugm-3 (Ref.eq)
104	09/04/2017	04:00:00	55.8	P ugm-3 (Ref.eq)
105	12/05/2017	03:00:00	55.8	P ugm-3 (Ref.eq)
106	12/05/2017	04:00:00	55.8	P ugm-3 (Ref.eq)
107	24/09/2017	23:00:00	55.8	P ugm-3 (Ref.eq)
108	16/10/2017	01:00:00	55.8	P ugm-3 (Ref.eq)
109	23/01/2017	12:00:00	55	P ugm-3 (Ref.eq)
110	26/01/2017	06:00:00	55	P ugm-3 (Ref.eq)
111	27/01/2017	04:00:00	55	P ugm-3 (Ref.eq)
112	13/02/2017	10:00:00	55	P ugm-3 (Ref.eq)
113	12/05/2017	02:00:00	55	P ugm-3 (Ref.eq)
114	25/09/2017	13:00:00	55	P ugm-3 (Ref.eq)
115	18/10/2017	20:00:00	55	P ugm-3 (Ref.eq)
116	26/01/2017	02:00:00	54.2	P ugm-3 (Ref.eq)
117	12/02/2017	02:00:00	54.2	P ugm-3 (Ref.eq)
118	12/02/2017	04:00:00	54.2	P ugm-3 (Ref.eq)
119	28/03/2017	10:00:00	54.2	P ugm-3 (Ref.eq)
120	24/09/2017	24:00:00	54.2	P ugm-3 (Ref.eq)
121	16/12/2016	10:00:00	53.3	R ugm-3 (Ref.eq)
122	21/12/2016	16:00:00	53.3	R ugm-3 (Ref.eq)
123	23/01/2017	19:00:00	53.3	P ugm-3 (Ref.eq)

124	26/01/2017	01:00:00	53.3	P ugm-3 (Ref.eq)
125	10/02/2017	09:00:00	53.3	P ugm-3 (Ref.eq)
126	31/03/2017	02:00:00	53.3	P ugm-3 (Ref.eq)
127	12/05/2017	01:00:00	53.3	P ugm-3 (Ref.eq)
128	13/08/2017	14:00:00	53.3	P ugm-3 (Ref.eq)
129	23/08/2017	06:00:00	53.3	P ugm-3 (Ref.eq)
130	26/09/2017	23:00:00	53.3	P ugm-3 (Ref.eq)
131	03/11/2017	24:00:00	53.3	P ugm-3 (Ref.eq)
132	21/12/2016	20:00:00	52.5	R ugm-3 (Ref.eq)
133	26/01/2017	04:00:00	52.5	P ugm-3 (Ref.eq)
134	26/01/2017	05:00:00	52.5	P ugm-3 (Ref.eq)
135	11/02/2017	16:00:00	52.5	P ugm-3 (Ref.eq)
136	11/02/2017	18:00:00	52.5	P ugm-3 (Ref.eq)
137	12/02/2017	19:00:00	52.5	P ugm-3 (Ref.eq)
138	13/02/2017	21:00:00	52.5	P ugm-3 (Ref.eq)
139	09/04/2017	02:00:00	52.5	P ugm-3 (Ref.eq)
140	27/09/2017	10:00:00	52.5	P ugm-3 (Ref.eq)
141	27/01/2017	05:00:00	51.7	P ugm-3 (Ref.eq)
142	11/02/2017	15:00:00	51.7	P ugm-3 (Ref.eq)
143	16/04/2017	13:00:00	51.7	P ugm-3 (Ref.eq)
144	19/07/2017	11:00:00	51.7	P ugm-3 (Ref.eq)
145	23/08/2017	03:00:00	51.7	P ugm-3 (Ref.eq)
146	23/08/2017	05:00:00	51.7	P ugm-3 (Ref.eq)
147	03/09/2017	17:00:00	51.7	P ugm-3 (Ref.eq)
148	25/09/2017	01:00:00	51.7	P ugm-3 (Ref.eq)
149	27/09/2017	03:00:00	51.7	P ugm-3 (Ref.eq)
150	27/09/2017	14:00:00	51.7	P ugm-3 (Ref.eq)
151	21/12/2016	18:00:00	50.8	R ugm-3 (Ref.eq)
152	21/12/2016	19:00:00	50.8	R ugm-3 (Ref.eq)
153	26/01/2017	03:00:00	50.8	P ugm-3 (Ref.eq)
154	26/01/2017	17:00:00	50.8	P ugm-3 (Ref.eq)
155	27/01/2017	06:00:00	50.8	P ugm-3 (Ref.eq)
156	27/01/2017	07:00:00	50.8	P ugm-3 (Ref.eq)
157	12/02/2017	05:00:00	50.8	P ugm-3 (Ref.eq)
158	02/04/2017	17:00:00	50.8	P ugm-3 (Ref.eq)
159	25/09/2017	06:00:00	50.8	P ugm-3 (Ref.eq)
160	25/09/2017	07:00:00	50.8	P ugm-3 (Ref.eq)
161	27/09/2017	01:00:00	50.8	P ugm-3 (Ref.eq)
162	27/09/2017	13:00:00	50.8	P ugm-3 (Ref.eq)
163	21/12/2016	17:00:00	50	R ugm-3 (Ref.eq)
164	23/01/2017	18:00:00	50	P ugm-3 (Ref.eq)
165	23/01/2017	20:00:00	50	P ugm-3 (Ref.eq)
166	26/01/2017	18:00:00	50	P ugm-3 (Ref.eq)
167	27/01/2017	21:00:00	50	P ugm-3 (Ref.eq)
168	10/02/2017	08:00:00	50	P ugm-3 (Ref.eq)
169	10/02/2017	12:00:00	50	P ugm-3 (Ref.eq)
170	11/02/2017	13:00:00	50	P ugm-3 (Ref.eq)
171	11/02/2017	19:00:00	50	P ugm-3 (Ref.eq)
172	12/02/2017	15:00:00	50	P ugm-3 (Ref.eq)

173	13/02/2017	22:00:00	50	P ugm-3 (Ref.eq)
174	13/02/2017	23:00:00	50	P ugm-3 (Ref.eq)
175	22/03/2017	11:00:00	50	P ugm-3 (Ref.eq)
176	12/05/2017	05:00:00	50	P ugm-3 (Ref.eq)
177	02/10/2017	05:00:00	50	P ugm-3 (Ref.eq)
178	16/10/2017	02:00:00	50	P ugm-3 (Ref.eq)
179	03/11/2017	23:00:00	50	P ugm-3 (Ref.eq)
180	16/12/2016	11:00:00	49.2	R ugm-3 (Ref.eq)
181	11/02/2017	17:00:00	49.2	P ugm-3 (Ref.eq)
182	13/02/2017	18:00:00	49.2	P ugm-3 (Ref.eq)
183	08/04/2017	07:00:00	49.2	P ugm-3 (Ref.eq)
184	09/04/2017	03:00:00	49.2	P ugm-3 (Ref.eq)
185	14/05/2017	05:00:00	49.2	P ugm-3 (Ref.eq)
186	15/06/2017	01:00:00	49.2	P ugm-3 (Ref.eq)
187	23/08/2017	02:00:00	49.2	P ugm-3 (Ref.eq)
188	27/09/2017	05:00:00	49.2	P ugm-3 (Ref.eq)
189	15/10/2017	23:00:00	49.2	P ugm-3 (Ref.eq)
190	04/11/2017	02:00:00	49.2	P ugm-3 (Ref.eq)
191	05/11/2017	23:00:00	49.2	P ugm-3 (Ref.eq)
192	21/12/2016	15:00:00	48.3	R ugm-3 (Ref.eq)
193	23/01/2017	21:00:00	48.3	P ugm-3 (Ref.eq)
194	25/01/2017	24:00:00	48.3	P ugm-3 (Ref.eq)
195	11/02/2017	14:00:00	48.3	P ugm-3 (Ref.eq)
196	25/03/2017	09:00:00	48.3	P ugm-3 (Ref.eq)
197	08/04/2017	06:00:00	48.3	P ugm-3 (Ref.eq)
198	08/04/2017	10:00:00	48.3	P ugm-3 (Ref.eq)
199	04/05/2017	15:00:00	48.3	P ugm-3 (Ref.eq)
200	11/05/2017	24:00:00	48.3	P ugm-3 (Ref.eq)
201	23/08/2017	04:00:00	48.3	P ugm-3 (Ref.eq)
202	25/09/2017	09:00:00	48.3	P ugm-3 (Ref.eq)
203	26/09/2017	12:00:00	48.3	P ugm-3 (Ref.eq)
204	26/09/2017	22:00:00	48.3	P ugm-3 (Ref.eq)
205	26/09/2017	24:00:00	48.3	P ugm-3 (Ref.eq)
206	03/11/2017	20:00:00	48.3	P ugm-3 (Ref.eq)
207	03/11/2017	21:00:00	48.3	P ugm-3 (Ref.eq)
208	05/12/2016	21:00:00	47.5	R ugm-3 (Ref.eq)
209	23/01/2017	13:00:00	47.5	P ugm-3 (Ref.eq)
210	27/01/2017	18:00:00	47.5	P ugm-3 (Ref.eq)
211	10/02/2017	13:00:00	47.5	P ugm-3 (Ref.eq)
212	11/02/2017	11:00:00	47.5	P ugm-3 (Ref.eq)
213	11/02/2017	22:00:00	47.5	P ugm-3 (Ref.eq)
214	13/02/2017	11:00:00	47.5	P ugm-3 (Ref.eq)
215	25/03/2017	15:00:00	47.5	P ugm-3 (Ref.eq)
216	28/08/2017	08:00:00	47.5	P ugm-3 (Ref.eq)
217	27/09/2017	15:00:00	47.5	P ugm-3 (Ref.eq)
218	02/10/2017	04:00:00	47.5	P ugm-3 (Ref.eq)
219	16/10/2017	14:00:00	47.5	P ugm-3 (Ref.eq)
220	18/10/2017	24:00:00	47.5	P ugm-3 (Ref.eq)
221	04/11/2017	01:00:00	47.5	P ugm-3 (Ref.eq)

222	16/12/2016	07:00:00	46.7	R ugm-3 (Ref.eq)
223	31/01/2017	15:00:00	46.7	P ugm-3 (Ref.eq)
224	10/02/2017	14:00:00	46.7	P ugm-3 (Ref.eq)
225	12/02/2017	14:00:00	46.7	P ugm-3 (Ref.eq)
226	28/03/2017	08:00:00	46.7	P ugm-3 (Ref.eq)
227	29/05/2017	04:00:00	46.7	P ugm-3 (Ref.eq)
228	23/08/2017	07:00:00	46.7	P ugm-3 (Ref.eq)
229	25/09/2017	04:00:00	46.7	P ugm-3 (Ref.eq)
230	02/10/2017	02:00:00	46.7	P ugm-3 (Ref.eq)
231	02/10/2017	03:00:00	46.7	P ugm-3 (Ref.eq)
232	03/11/2017	18:00:00	46.7	P ugm-3 (Ref.eq)
233	06/11/2017	03:00:00	46.7	P ugm-3 (Ref.eq)
234	05/12/2016	22:00:00	45.8	R ugm-3 (Ref.eq)
235	06/12/2016	08:00:00	45.8	R ugm-3 (Ref.eq)
236	03/02/2017	02:00:00	45.8	P ugm-3 (Ref.eq)
237	11/02/2017	12:00:00	45.8	P ugm-3 (Ref.eq)
238	11/02/2017	20:00:00	45.8	P ugm-3 (Ref.eq)
239	14/02/2017	05:00:00	45.8	P ugm-3 (Ref.eq)
240	28/03/2017	11:00:00	45.8	P ugm-3 (Ref.eq)
241	05/08/2017	05:00:00	45.8	P ugm-3 (Ref.eq)
242	27/09/2017	02:00:00	45.8	P ugm-3 (Ref.eq)
243	27/09/2017	06:00:00	45.8	P ugm-3 (Ref.eq)
244	27/09/2017	11:00:00	45.8	P ugm-3 (Ref.eq)
245	15/10/2017	24:00:00	45.8	P ugm-3 (Ref.eq)
246	04/11/2017	03:00:00	45.8	P ugm-3 (Ref.eq)
247	06/11/2017	04:00:00	45.8	P ugm-3 (Ref.eq)
248	23/01/2017	16:00:00	45	P ugm-3 (Ref.eq)
249	26/01/2017	16:00:00	45	P ugm-3 (Ref.eq)
250	10/02/2017	06:00:00	45	P ugm-3 (Ref.eq)
251	11/02/2017	21:00:00	45	P ugm-3 (Ref.eq)
252	09/04/2017	01:00:00	45	P ugm-3 (Ref.eq)
253	26/08/2017	04:00:00	45	P ugm-3 (Ref.eq)
254	24/09/2017	22:00:00	45	P ugm-3 (Ref.eq)
255	06/11/2017	02:00:00	45	P ugm-3 (Ref.eq)
256	06/11/2017	05:00:00	45	P ugm-3 (Ref.eq)
257	05/12/2016	20:00:00	44.2	R ugm-3 (Ref.eq)
258	17/01/2017	22:00:00	44.2	P ugm-3 (Ref.eq)
259	17/01/2017	23:00:00	44.2	P ugm-3 (Ref.eq)
260	17/01/2017	24:00:00	44.2	P ugm-3 (Ref.eq)
261	23/01/2017	17:00:00	44.2	P ugm-3 (Ref.eq)
262	23/01/2017	22:00:00	44.2	P ugm-3 (Ref.eq)
263	26/01/2017	07:00:00	44.2	P ugm-3 (Ref.eq)
264	26/01/2017	14:00:00	44.2	P ugm-3 (Ref.eq)
265	27/01/2017	09:00:00	44.2	P ugm-3 (Ref.eq)
266	27/01/2017	11:00:00	44.2	P ugm-3 (Ref.eq)
267	27/01/2017	20:00:00	44.2	P ugm-3 (Ref.eq)
268	10/02/2017	05:00:00	44.2	P ugm-3 (Ref.eq)
269	11/02/2017	10:00:00	44.2	P ugm-3 (Ref.eq)
270	13/02/2017	17:00:00	44.2	P ugm-3 (Ref.eq)

271	13/02/2017	24:00:00	44.2	P ugm-3 (Ref.eq)
272	15/03/2017	22:00:00	44.2	P ugm-3 (Ref.eq)
273	08/04/2017	24:00:00	44.2	P ugm-3 (Ref.eq)
274	27/05/2017	11:00:00	44.2	P ugm-3 (Ref.eq)
275	22/08/2017	04:00:00	44.2	P ugm-3 (Ref.eq)
276	23/08/2017	09:00:00	44.2	P ugm-3 (Ref.eq)
277	07/09/2017	09:00:00	44.2	P ugm-3 (Ref.eq)
278	25/09/2017	10:00:00	44.2	P ugm-3 (Ref.eq)
279	25/09/2017	14:00:00	44.2	P ugm-3 (Ref.eq)
280	27/09/2017	07:00:00	44.2	P ugm-3 (Ref.eq)
281	15/10/2017	22:00:00	44.2	P ugm-3 (Ref.eq)
282	16/10/2017	04:00:00	44.2	P ugm-3 (Ref.eq)
283	03/11/2017	05:00:00	44.2	P ugm-3 (Ref.eq)
284	05/12/2017	01:00:00	44.2	P ugm-3 (Ref.eq)
285	23/01/2017	14:00:00	43.3	P ugm-3 (Ref.eq)
286	27/01/2017	19:00:00	43.3	P ugm-3 (Ref.eq)
287	31/01/2017	16:00:00	43.3	P ugm-3 (Ref.eq)
288	10/02/2017	15:00:00	43.3	P ugm-3 (Ref.eq)
289	13/02/2017	15:00:00	43.3	P ugm-3 (Ref.eq)
290	13/02/2017	16:00:00	43.3	P ugm-3 (Ref.eq)
291	14/02/2017	01:00:00	43.3	P ugm-3 (Ref.eq)
292	14/02/2017	07:00:00	43.3	P ugm-3 (Ref.eq)
293	03/03/2017	10:00:00	43.3	P ugm-3 (Ref.eq)
294	26/05/2017	13:00:00	43.3	P ugm-3 (Ref.eq)
295	14/06/2017	20:00:00	43.3	P ugm-3 (Ref.eq)
296	25/07/2017	17:00:00	43.3	P ugm-3 (Ref.eq)
297	25/09/2017	05:00:00	43.3	P ugm-3 (Ref.eq)
298	15/10/2017	21:00:00	43.3	P ugm-3 (Ref.eq)
299	18/10/2017	21:00:00	43.3	P ugm-3 (Ref.eq)
300	19/10/2017	06:00:00	43.3	P ugm-3 (Ref.eq)
301	24/01/2017	08:00:00	42.5	P ugm-3 (Ref.eq)
302	26/01/2017	15:00:00	42.5	P ugm-3 (Ref.eq)
303	27/01/2017	14:00:00	42.5	P ugm-3 (Ref.eq)
304	27/01/2017	16:00:00	42.5	P ugm-3 (Ref.eq)
305	08/02/2017	12:00:00	42.5	P ugm-3 (Ref.eq)
306	11/02/2017	09:00:00	42.5	P ugm-3 (Ref.eq)
307	14/02/2017	08:00:00	42.5	P ugm-3 (Ref.eq)
308	28/03/2017	15:00:00	42.5	P ugm-3 (Ref.eq)
309	09/04/2017	08:00:00	42.5	P ugm-3 (Ref.eq)
310	24/09/2017	04:00:00	42.5	P ugm-3 (Ref.eq)
311	24/09/2017	06:00:00	42.5	P ugm-3 (Ref.eq)
312	16/10/2017	11:00:00	42.5	P ugm-3 (Ref.eq)
313	16/10/2017	12:00:00	42.5	P ugm-3 (Ref.eq)
314	16/10/2017	13:00:00	42.5	P ugm-3 (Ref.eq)
315	16/10/2017	16:00:00	42.5	P ugm-3 (Ref.eq)
316	19/10/2017	13:00:00	42.5	P ugm-3 (Ref.eq)
317	02/11/2017	23:00:00	42.5	P ugm-3 (Ref.eq)
318	05/12/2016	19:00:00	41.7	R ugm-3 (Ref.eq)
319	23/01/2017	24:00:00	41.7	P ugm-3 (Ref.eq)

320	26/01/2017	13:00:00	41.7	P ugm-3 (Ref.eq)
321	27/01/2017	13:00:00	41.7	P ugm-3 (Ref.eq)
322	27/01/2017	15:00:00	41.7	P ugm-3 (Ref.eq)
323	27/01/2017	17:00:00	41.7	P ugm-3 (Ref.eq)
324	27/01/2017	22:00:00	41.7	P ugm-3 (Ref.eq)
325	13/02/2017	12:00:00	41.7	P ugm-3 (Ref.eq)
326	14/02/2017	21:00:00	41.7	P ugm-3 (Ref.eq)
327	18/02/2017	18:00:00	41.7	P ugm-3 (Ref.eq)
328	03/03/2017	08:00:00	41.7	P ugm-3 (Ref.eq)
329	08/04/2017	23:00:00	41.7	P ugm-3 (Ref.eq)
330	23/08/2017	01:00:00	41.7	P ugm-3 (Ref.eq)
331	23/08/2017	08:00:00	41.7	P ugm-3 (Ref.eq)
332	28/08/2017	07:00:00	41.7	P ugm-3 (Ref.eq)
333	27/09/2017	04:00:00	41.7	P ugm-3 (Ref.eq)
334	18/10/2017	22:00:00	41.7	P ugm-3 (Ref.eq)
335	03/11/2017	09:00:00	41.7	P ugm-3 (Ref.eq)
336	03/11/2017	17:00:00	41.7	P ugm-3 (Ref.eq)
337	05/12/2016	18:00:00	40.8	R ugm-3 (Ref.eq)
338	06/12/2016	18:00:00	40.8	R ugm-3 (Ref.eq)
339	06/12/2016	19:00:00	40.8	R ugm-3 (Ref.eq)
340	15/12/2016	09:00:00	40.8	R ugm-3 (Ref.eq)
341	21/12/2016	21:00:00	40.8	R ugm-3 (Ref.eq)
342	21/12/2016	22:00:00	40.8	R ugm-3 (Ref.eq)
343	17/01/2017	21:00:00	40.8	P ugm-3 (Ref.eq)
344	27/01/2017	12:00:00	40.8	P ugm-3 (Ref.eq)
345	03/02/2017	03:00:00	40.8	P ugm-3 (Ref.eq)
346	03/02/2017	09:00:00	40.8	P ugm-3 (Ref.eq)
347	11/02/2017	08:00:00	40.8	P ugm-3 (Ref.eq)
348	11/02/2017	23:00:00	40.8	P ugm-3 (Ref.eq)
349	12/02/2017	16:00:00	40.8	P ugm-3 (Ref.eq)
350	11/05/2017	09:00:00	40.8	P ugm-3 (Ref.eq)
351	11/05/2017	11:00:00	40.8	P ugm-3 (Ref.eq)
352	20/06/2017	09:00:00	40.8	P ugm-3 (Ref.eq)
353	13/07/2017	19:00:00	40.8	P ugm-3 (Ref.eq)
354	28/08/2017	01:00:00	40.8	P ugm-3 (Ref.eq)
355	24/09/2017	05:00:00	40.8	P ugm-3 (Ref.eq)
356	24/09/2017	21:00:00	40.8	P ugm-3 (Ref.eq)
357	25/09/2017	11:00:00	40.8	P ugm-3 (Ref.eq)
358	25/09/2017	12:00:00	40.8	P ugm-3 (Ref.eq)
359	25/09/2017	15:00:00	40.8	P ugm-3 (Ref.eq)
360	18/10/2017	23:00:00	40.8	P ugm-3 (Ref.eq)
361	02/11/2017	21:00:00	40.8	P ugm-3 (Ref.eq)
362	03/11/2017	06:00:00	40.8	P ugm-3 (Ref.eq)
363	03/11/2017	07:00:00	40.8	P ugm-3 (Ref.eq)
364	06/11/2017	01:00:00	40.8	P ugm-3 (Ref.eq)
	16/12/2016	15:00:00	40	R ugm-3 (Ref.eq)